König P Shade Equalizer

355 000

Intended Use

- For a lightly glazing re-dyeing from light to dark.
- To equalize minor lacquer damage.
- To adjust small colour deviations.
- Recommended for indoor use.

Characteristics

- Glazing.
- Nitrocellulosed-based product.
- · Gloss level 'silk matt'.
- Limited PVC-resistance (window and door gaskets).

Application Notes

Shake can well before use and test product on an inconspicuous area first to ensure adhesion and compatibility with the surface.

It is vital to sand out or rather to reduce abrasions in the lacquer area first by using fine dry or wet sandpaper. Best results are achieved by finishing with Wire Wool 000.

Apply several thin coats of P Shade Equalizer from a distance of about 30-40 cm. Allow lacquer to flash off for approx. 5-10 minutes between working operations.

Physical Properties and Shelf Life

Dust-dry: after approx. 5-10 minutes **Touch-proof:** after approx. 10-15 minutes **Substrate material:** can be used on many surfaces **Coverage:** approx. 2 m² per 400 ml (single

application)

Shelf life: minimum 2 years

(stored upright at room temperature, in unopened original container)

Safety Precautions

Please refer to label and material data sheet.

Disposal

- Dispose of König aerosol cans in accordance with legal requirements only, when completely empty.
 For further information, please ask your local waste industry office.
- Leftover material to be disposed of in accordance with EWC 150110 (packaging containing residues of or contaminated by dangerous substances).
- Heinrich König & Co. KG take care of the disposal of Sprüh-König aerosol cans, provided they are returned 'carriage paid' to the address stated below.

Packaging

On request.

Further information and Material Safety Data Sheet on the internet at www.heinrich-koenig.de

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).



Heinrich König; a V< '& Co. KG

An der Rosenhelle 5 • D-61138 Niederdorfelden Phone: 0 61 01-53 60 0 • Fax: 0 61 01-53 60 11

E-mail: info@heinrich-koenig.de